

BIM SCHOOL,

GREEN SCHOOL



ALL RENDERINGS: QUATTROCHI KIMMEL ARCHITECTS

The new 260,000-sf American Canyon High School campus will serve as many as 2,200 students when it opens for the 2010-11 school year.

How building information modeling made a groundbreaking high-performance school possible.

By Jeff Yoders, Senior Associate Editor

Nestled deep in the Napa Valley, the city of American Canyon is one of a number of new communities in Northern California that have experienced tremendous growth in the last five years. Located 42 miles northeast of San Francisco, American Canyon had a population of just over 9,000 in 2000; by 2008, that figure

stood at 15,276, with 28% of the population under age 18. American Canyon's high school-age students, more than 1,200 of them, had to be bussed to neighboring schools in Napa.

By 2006, it was sufficiently clear to the citizens of Napa County that the city needed a new high school of its own. In 2006, voters approved a \$183 million school construction bond, \$105 million of which was combined with state funds to build a new \$121 million high school to accommodate as many as 2,200 students. The Napa Valley Unified School District also stipulated that not only would the school incorporate sustainable strategies where economically feasible, but also that the design should embrace the latest trends in modern schools, notably the concept of having several smaller units within a larger unified campus structure.



The buildings and pathways of American Canyon High School were designed and oriented to take advantage of sunlight and wind ventilation. The "infinity" pathway that goes past all of the school's buildings also gives students and faculty a view of the greater Bay Area past its entrance.

Quattrocchi Kwok Architects (QKA) of nearby Santa Rosa was selected to design the proposed American Canyon High School specifically because of its experience designing sustainable K-12 schools. The firm applied the triple bottom line it considers for all its projects—a balancing of economic, environmental, and community impacts—to the design decisions for this project. QKA spent eight months working with the district to write educational and design specifications for the new school.

The school was designed using the guidelines of the Collaborative for High Performance Schools (CHPS), the nation's

oldest green building rating program. "We considered the environment in every design decision with the same importance as program and budget. It was an integral part of the design process," said Aaron Jobson, a QKA associate and the project architect.

The 260,000-sf campus, which is currently under construction by Lathrop Construction Associates of Benicia, Calif., will house four "small learning communities" of 500-550 students; these communities will share a central courtyard. Students will have the option to pursue five different "career pathways":



American Canyon High School's 400-seat theater building (above) will also be used as a performing arts venue for the community. Its specialized academy buildings (top) will allow students to learn specialized fields such as global leadership, environmental and health sciences, hospitality, engineering technologies (including CAD), and visual and performing arts.

visual and performing arts, engineering technologies (such as CAD), global leadership, environmental and health sciences, and arts and hospitality (including culinary arts).

Three of the career pathway classrooms will be shared during off-hours with Napa Valley College, which will offer five-year degrees in technical education. There's also a 2,500-seat gymnasium, an aquatic center, a 400-seat performing arts theater, and outdoor athletic fields. The school is scheduled to open in time for the 2010-11 school year.

QKA used the latest site and energy analysis tools in the

schematic design of the school, known locally as "AmCan High." ArchiCAD, the Graphisoft building information modeling program, was used to develop each new building's design and digital prototype. The result will be the first CHPS-verified high school in the nation when it's completed in July 2010.

The project is designed to achieve 43 of the 85 possible points, with 32 needed for verification. This includes 18 of 20 available energy points. The school will have a 1 megawatt photovoltaic system, a ground-loop heat pump mechanical system, an overall

K-12 SCHOOLS



These renderings are overlaid with actual construction site photos of American Canyon High School today. The structural steel frames of the multiuse building (above) and gymnasium (top) have been completed by the general contractor, Lathrop Construction Associates, Benicia, Calif.

energy-efficient design, and enhanced energy commissioning in conjunction with utility partner Pacific Gas & Electric.

In the water use category, AmCan High received five out of five design points for features such as reclaimed water used for irrigation and low-flow plumbing fixtures.

Thanks to its green design features, AmCan High will receive close to \$1 million in additional funding from the state, where CHPS-verified schools can receive 2-11% of their costs from the state for building green. "We made what we believe is a

good design and then saw how many points were available for it," said Jobson.

Site Design: Melding BIM with Google Earth

The design team used a variety of IT technologies—Google Earth, SketchUp, Ecotect Analysis, and ArchiCAD—to create presentation materials to gain stakeholder support throughout the design and approval processes.

Views of the nearby hills and across the Bay to local land-

K-12 SCHOOLS




The design team for American Canyon High School used a Graphisoft ArchiCAD BIM model for clash detection and building performance testing. The model sections show one of the school's lab buildings with walls (above) and without walls (top). Google Earth and SketchUp were also used.

mark Mount Tamalpais are prominent features of the 50-acre site on the eastern edge of the city of American Canyon. QKA's team wanted the buildings and site features to frame those views and connect the campus to the larger Bay Area. Early BIM concept models designed in ArchiCAD were exported to Google Earth using the Google Earth Add-on for ArchiCAD. The direct import-export connection between the programs allowed the architects to study several different conceptual building orientation and siting options.

In Google Earth, the design was displayed in a dynamic 3D environment which showed topography and aerial views of the surrounding landscape, enabling the architects to see how their site design framed views of the campus.

Google Earth was also utilized to affirm sight lines between the campus buildings, which are organized around an elliptical path centering on the school's library and administration building. This allowed for prominent views to the southeast and southwest (with views to the Bay) from the campus green and plaza.


K-12 SCHOOLS




Designer Aaron Jobson used Ecotect to analyze daylighting factors in building interiors and to configure exterior sun shades. Ecotect Solar Tool, an add-on for shading analysis, was used to create quick models of windows.

Sun shading design in Ecotect Analysis

The BIM model used for AmCan High had its greatest impact on the project's daylighting component. Most of the school will be naturally lit during the day, and all classrooms will be virtually 100% lit by daylight. To help inform the daylighting design, the ArchiCAD model was imported into the analysis program Ecotect, which can predict building performance for air movement, acoustics, shading, thermal performance, and daylighting.



IMAGES: COURTESY QUATTROCCHI KWOK ARCHITECTS



CHPS: Delivering High-performance Schools

CHPS, the Collaborative for High-Performance Schools, was the first green building rating system designed exclusively for K-12 buildings. Founded as a nonprofit in 1999 by a joint effort of the California Energy Commission and major utilities Pacific Gas & Electric, San Diego Gas & Electric, and Southern California Edison, CHPS at first concentrated solely on promoting energy efficiency in California's schools. "We quickly realized that just looking at the energy efficiency of schools was not the complete picture," said Ariel Dekovic, CHPS communications and membership manager. CHPS was expanded to address a wide range of sustainability issues in schools.

Incorporated in 2002 as an independent entity, CHPS today has more than 225 member organizations, and CHPS design criteria have been adopted in some form by 11 states: California, Connecticut, Colorado, Maine, Massachusetts, New Hampshire, New York, Rhode Island, Texas, Vermont, and Washington.

There are 43 certified CHPS schools across the country and well more than 300 in the pipeline. CHPS certification is volun-

tary and usually self-administered, but a third-party review and certification process has recently been put in place. American Canyon High School in the Napa Valley of California is the first CHPS school to be verified for its design under this system.

According to the 2009 CHPS guidelines, CHPS schools must be energy and resource efficient, provide a healthy environment for students, teachers, and staff, and must be acoustically, visually, and thermally comfortable. Energy performance, efficient water use, materials and waste management, and energy conservation interlock are just some of the prerequisites in the CHPS verified system. **BD+C**

For more on CHPS, visit: <http://www.chps.net>

AIA/CES Webcast on CHPS

For more about the CHPS green schools and American Canyon High School—and an opportunity to earn 1.0 AIA/CES learning units—register for the BD+C educational webcast, "High-performance Green Schools, the CHPS Way," at: <http://www.BDCnetwork.com/article/CA6637733.html>

New Standards For Sustainability?



We're Already There.

Construction trends are pushing GREEN with more energy efficient and sustainable homes and buildings. Reward is *ahead of the curve* on building enclosure solutions for you to deliver the performance needs demanded by your customers.

Customer focused and innovation driven, Reward produces the highest quality insulating concrete forms (ICF) in the industry and gives you unrivaled customer support that allows you to construct and design projects that are:

Green — Get up to 50-80% energy savings, reduce construction waste and qualify for LEED points in 4 of the 6 categories.

Cost Efficient — Save time and money by using Reward's universally designed 5-1 ICF wall assembly. Complete the structural wall, insulation, vapor and air barriers and furring all in 1 step!

Safe Environments — Reward ICF's can increase protection from natural disasters and have up to a 4-hour fire rating PLUS reduce air contaminants to improve air quality.

Find out when you contact us today.

1-800-468-6344 ext. 1513



These products are covered by U.S. Pat #6,800,004

www.rewardwalls.com

K-12 SCHOOLS



IMAGE: COURTESY QKA

The BIM model of AmCan High aided in the erection of steel members for the project. BIM was used as a tool to guide decision making, not replace the design process, says QKA's Aaron Jobson.

The Building Team analyzed how sunlight would reflect off the exterior sunshades of the building and disperse into the classrooms and other spaces. Through Ecotect's sun ray diagrams, the light profile could be easily adjusted for different times of the day for any day of the year.

Ecotect can also analyze the amount of daylight in a room and calculate an average for the entire year. That analysis grid was configured to conform to CHPS standards for light levels and daylight factor three feet from the walls and on a solar plane 30 inches above the floor. Ecotect produced a graph showing the average light level in foot candles and daylight factor. After what-iffing a number of window and sunshade conditions and graphing them in Ecotect, the architects settled on a design that represented the optimal distribution of daylight, one in which the exterior sunshades will block direct sunlight from the classrooms, minimizing solar heat gain and glare. The resulting window design also created opportunities for natural cross ventilation in the classrooms.

"Through a combination of the orientation of the site (and the design of the sunshades and windows) we were able to keep out most of the direct sunlight and allow in the indirect light that would effectively light all the classrooms," Jobson said.

QKA also used Ecotect analysis to configure the exterior sun shades. From early in schematic design, QKA planned on exterior sunshades for all south-facing windows to control heat buildup, as well as those on the east and west elevations to control glare. Ecotect Solar Tool—a separate add-on used to analyze shading—was used to create quick models of all the windows in question. QKA evaluated the performance of hundreds of different sunshade combinations using the Ecotect Solar Tool, always careful to balance performance with cost, maintenance, and aesthetics in the final configuration of the sunshades.

Assuring Efficient Energy Systems

QKA took a similar approach to the mechanical systems of AmCan High. Overall the energy systems of AmCan High

will deliver 10-20% savings over California's already stringent Title 24 energy code. Some of those savings will come from a ground-loop heat pump system that will heat the school in the winter. Lathrop Construction drilled 285 holes 300 feet deep to enable the ground-loop system to draw heat and cooling from underground water supplies. Displacement ventilation systems were designed for both the 400-seat theater and the library. Displacement ventilation and the ground-loop heat pump system also led to improved acoustics as a result of quieter mechanical systems in the classrooms, enabling the project to achieve three points for acoustics from CHPS.

The biggest clean energy producer for AmCan High will be its photovoltaic system, which will generate 55% of the school's electricity needs (based on Title 24). Three types of PVs will be used: traditional *glass-faced crystal panels* are being built on flat and sloped-roof areas of the campus buildings and on a large array on a nearby hillside; *thin-film PVs* are being directly adhered to a standing-seam metal roof over the classrooms; and *PV glass panels*—solar cells mounted between two panes of insulated glass curtain wall—are being installed around the entries to the campus to provide a visual statement to students and the public that PVs are an important component of the school's energy system. The PV glass also helps shade the entrances.

California's net-metering law requires utilities, in most cases, to offer net metering to all customers for solar and wind-energy systems up to 1 MW in capacity.

Through its ability to generate electricity with its PVs, AmCan High will be able to "zero out" its energy bill for the year by putting as much energy back into PG&E's grid as it uses in the first few years, as enrollment ramps up.

"Everything the BIM model gave us provided quantitative analysis of dif-

ferent scenarios to help us make design decisions," Jobson said. "It's a tool that helps you inform design. That's how we used the modeling and animations we

did for AmCan High, as tools to guide decision making. They didn't replace or drive the design process; rather, they informed it." **BD-C**

- Meets all of the latest fire code requirements of the 2006 IBC and 2007 NFPA 13
- Listed and approved by both UL and FM under *current* approval standards for Flexible Sprinkler Hose Fittings
- Seismically qualified for use in Seismic Design Categories C, D, E & F without the need for an unsightly oversized ring around the sprinkler head
- Provides **GREEN** benefits as it minimizes the need to drain sprinkler piping during the initial installation and provides sustainability to the sprinkler fit-up
- Facilitates fast-track construction as you can install at least five times as many flexible connections in the time it would take to do one hard-pipe arm-over
- Perfect aesthetic uniformity as you get center-of-tile placement every install without the extra cost.




FLEXHEAD

INDUSTRIES

The best idea in sprinkler systems since water

800-829-6975 www.flexhead.com



FlexHead commercial fire sprinkler connections:
A smart choice for schools



U.S. and international patents pending: #6,123,154, #6,119,784, #6,752,218, #7,032,680, #6,488,097.

Input #30 at BDCnetwork.com/quickResponse